SUBJECT INDEX

Acoustic emission, p. 703
Actuator, p. 433
Airy stress function, p. 634
Aluminum, pp. 302, 1392
Aluminum alloy composite, p. 831
Aluminum matrix, p. 536
Analysis, pp. 334, 1012, 1158
Anisotropic plasticity, p. 1039
Anisotropy, p. 1204
APC-2, p. 334
Arall-4 laminates, pp. 302, 391
Aramid/epoxy, pp. 302, 609
AS4/PEEK composites, p. 1297
Aspect ratio, p. 1204
Autoclave, p. 1542
Axial compression, p. 162
Axial yarn, p. 1599
Beam theory, p. 1108
Beams, p. 188
Binary composite materials, p. 1392
Bonded joints, p. 391
Bridges, p. 188
Buckling, pp. 162, 650, 669, 1039, 1351
Buffer strips, p. 1218
Carbon-carbon, pp. 593, 703
Carbon/epoxy, p. 774
Carbon fibers, p. 1476
Carbon fiber/epoxy composites, p. 1445
Catastrophic failure, p. 854
Cavity, p. 1064
Ceramic, p. 1158
Ceramic laminate, p. 416
Combined loading, p. 162
Composite beams, p. 1414
Composite cylinder assemblage, p. 732
Composite laminates, pp. 2, 809, 1459, 1653
Composite material behavior, p. 536
Composite materials, pp. 204, 694, 760, 1314
Composite properties, pp. 732, 932, 958
Composite rebars, p. 188
Composites, pp. 162, 453, 578, 650, 669, 1158, 1218, 1619
Compression, pp. 2, 1351
Compression after impact, p. 204
Compression strength, pp. 44, 669, 1244
Compression testing, p. 774
Compressive fracture, p. 1476
Conduction, p. 1064
Constitutive modelling, p. 512
Constitutive relation, p. 1204
Contact stress, p 593
Continuum damage, p. 703
Convection, p. 1064
Corrosion, p. 188
Coupling agent, p. 375
Crack propagation, p. 1414
Crash worthiness, p. 1314
Creep optimization, p. 302
Creep response, p. 302
Cross-plies, p. 578
Crushing speed, p. 1314
Crystallinity, p. 1143
C-shell fibers, p. 669
Cure, p. 1542
Cure simulation, p. 239
Curved beam test specimen, p. 854
Cyclic loading, p. 512
Cylinder, p. 453
Cylindrical shells, p. 162
Damage, pp. 494, 715, 992
Damage growth mechanisms, p. 1171
Damage initiation, pp. 593, 1171
Damage mechanics, pp. 1476, 1668
Damage tolerance, pp. 274, 1218, 1414
Damaged ply constitutive relations, p. 556
Darcy's law, p. 1127
Debonds, p. 224
Delamination, pp. 44, 118, 204, 470, 494, 694, 854, 992, 1012, 1351, 1414, 1459, 1476
Delaminations in composite plates, p. 907
Design, pp. 274, 391, 869, 1039, 1108
Design allowables, p. 854
Differential thermography, p. 809
Discontinuous fiber, p. 887

(continued)

Subject Index (continued)

Displacement functions, p. 632
Distributed, p. 433
Dynamic fracture, p. 1414
Dynamics, p. 1039
Edge delamination, p. 869
Effective moduli, pp. 453, 1392
Effective properties, p. 732
Elastic and creep matrix, p. 536
Elastic moduli, p. 1392
Elastic-plastic behavior, p. 1297
Elastic properties, pp. 416, 1599
Elevated temperature, p. 302
Elliptical fibers, p. 650
Energy absorption, p. 1314
Environmental degradation, p. 887
Environmental effects, pp. 760, 1340
Epoxy resin, pp. 609, 1476
Exotherm, p. 239
Experimental characterization of composites, p. 578
Experimental stress analysis, p. 809
Experiments, p. 992
Expert system, p. 1542
Failure, p. 512
Failure criterion, pp. 88, 142, 274, 1459
Failure mechanisms, pp. 204, 1244
Fatigue, p. 1668
Felicity ratio, p. 703
Fiber assembly, p. 1204
Fiber breakage, pp. 556, 593
Fiber bridging, p. 1086
Fiber buckling, pp. 44, 65
Fiber distribution, pp. 650, 669
Fiber length, p. 1204
Fiber-matrix adhesion, pp. 932, 958, 1445
Fiber-matrix interface, p. 1445
Fiber/matrix interface failure, p. 869
Fiber-reinforced composite, pp. 224, 334, 992, 1599
Fiber reinforced thermoplastic composites, p. 1171
Fiber surface treatment, p. 1445
Fiber waviness, p. 1244
Films, p. 788
Finite elasticity, p. 88
Finite element analysis, pp. 512, 1039, 1414
Flexural reinforcement, p. 188
Flexural testing, p. 1108
Flexure, p. 101
Fracture, pp. 101, 416, 470, 494, 869, 887, 1218
Fracture mechanics, pp. 1086, 1427, 1653
Fracture toughness, pp. 204, 831
Free edge, p. 142
Friction, p. 1158
Galerkin procedure, p. 634
Geometric nonlinearity, p. 1039
Glass fabric, p. 694
Glass fiber, pp. 101, 375
Glass-filled polymer composites, p. 1515
Graphite/epoxy composites, pp. 715, 932, 958, 1218, 1244
Graphite/epoxy laminates, p. 907
Grip systems for composites, p. 578
Heat flow, p. 1588
Heat transfer, p. 1515
High-order theory, p. 1108
Hybrid composites, p. 302
Hybrid effect, p. 375
Hysteresis, p. 703
IITRI test, p. 774
Impact, pp. 887, 992, 1012
Impact damage, pp. 204, 694, 1414
Impact failure, p. 1171
Impact test, p. 715
Imperfection, p. 1039
Impregnation, p. 1127
Indentation test, p. 1158
Indenter loading, p. 593
Inplane failure, p. 44
Inplane shear response, p. 932
Inplane stress, p. 1459
In situ composites, p. 788
Instrumented tests, p. 204
Interface, p. 1158
Interfacial adhesion, p. 1445
Interfacial bonding, p. 887
Interfacial thermal banner, p. 1588
Interlaminar shear strength, p. 1445
Interlaminar stress, pp. 142, 1445, 1459
Interlaminar tensile strength, p. 854
Internal heat transfer, p. 1064
Interphase model, p. 224
Interphase stresses, p. 224
Isocyanate, p. 375
Joint failure modes, p. 391
Kevlar 49/epoxy p. 609

Kink band, p. 1244
Laminate, pp. 142, 391, 433, 453, 470, 512, 578, 1108
Laminate fracture, p. 1427
Laminate stiffness, p. 578
Laminate strength, p. 1427
Laminate testing, p. 578
Laminated composites, pp. 44, 65, 556, 1012, 1414
Laminated composites with holes, p. 274
Laminated plate theory, p. 578
Lamination analogy, p. 1599
Length distribution, p. 1204
Load distribution effect, p. 65
Load redistribution, p. 1459
Load sharing, p. 1459
Local buckling, p. 1351
Local failure, p. 536
Local thermal equilibrium, p. 1515
Longitudinal splitting, p. 1086
Low-velocity impact, p. 992
Macroscopic, pp. 512, 1459
Matrix cracking, pp. 556, 992, 1012
MDF cement, p. 1619
Mechanical prestrain, p. 302
Mechanical properties, pp. 375, 1108, 1330
Metal matrix composite, pp. 536, 831, 1668
Microbuckling, pp. 1244, 1476
Microcracking, pp. 1171, 1653
Micromechanics, pp. 224, 732, 809, 1204
Mixed mode, p. 831
Mode I–Mode III, p. 831
Mode II toughness, pp. 470, 494
Model, p. 1632
Noncircular fibers, pp. 650, 669
Nondestructive evaluation, p. 809
Nonlinear analysis, p. 634
Nonuniform curing, p. 239
Notch, p. 142
Notched strength, p. 274
Off-axis test, p. 1277
Open hole, pp. 2, 44
Optical fiber, p. 1499
Optical interference method, p. 760
Orthotropic fibers, p. 732
Orthotropic plasticity, p. 512
Particulate reinforced aluminum, p. 831
Penny-shaped crack, p. 1064
Permeability, p. 1127
Piezoceramics, p. 433
Plastic flow behavior, p. 842
Plasticity, p. 494
Plate, p. 433
Plydrop, p. 118
Poisson effect, p. 1158
Polar backscatter, p. 1499
Polymer blends, p. 788
Porous media, p. 1064
Post-buckling analysis, p. 634
Power-law fluid, p. 1127
Preform processing, p. 1599
Probability, p. 650
Process-induced stress, p. 239
Processing, p. 788
Progressive failure, p. 556
Proof testing, p. 854
Property, p. 1158
Pultrusion, p. 1632
Pure bending, p. 162
Raman spectroscopy, p. 609
Rate dependent behavior, p. 1277
Rayleigh-Ritz, p. 1351
Rectangular fibers, p. 669
Reinforced concrete, p. 188
Reinforcement, pp. 375, 869
Residual strength, p. 1427
Residual stress, p. 1445
Rigid fiber, p. 536
Rule of mixture (ROM), p. 1392
Sandwich beam, p. 101
Self-consistent approach, p. 1064
Shear, p. 1218
Shear cracks, p. 593
Shear lag analysis, p. 1086
Shear reinforcement, p. 188
Shear stress distribution, p. 309
Sheet forming, p. 1204
Shells, pp. 1039, 1340
SiC whisker/Al_2O_3, p. 416
Silicon carbide fiber, pp. 536, 1392, 1619, 1668
Size effect, p. 854
Slanted fibers, p. 650
Spalling, p. 694
SPATE, p. 809
Specimen tabs, p. 774
Spherical inclusion, p. 1588
Stability, p. 1351

(continued)

Subject Index (continued)

Static failure/fatigue failure, p. 854
Static indentation, p. 204
Steel rebars, p. 188
Stiffness averaging method, p. 1599
Stiffness degradation, p. 556
Strain energy release rate, pp. 101, 118
Strain invariants, p. 88
Strain rate, pp. 887, 1314
Strength, pp. 2, 142, 274
Strength reduction, p. 1244
Stress analysis, pp. 453, 1143
Stress concentrations, p. 556
Stress distributions, pp. 732, 760
Stress-strain curve, p. 703
Subcritical failure, p. 1653
Sublaminate displacement, p. 907
Tab debonding, p. 774
Tape casting, p. 416
Tapered laminate, p. 118
Temperature distribution, p. 1588
Tensile failure, p. 274
Tensile properties of laminated composites, p. 842
Tension, p. 1218
Test methods, pp. 101, 774
Test specimens, pp. 470, 494
Testing, p. 1330
Thermal anisotropy, p. 239
Thermal conductivity tensor, p. 1064
Thermal cycling, p. 1668
Thermal expansion, pp. 416, 1340, 1653
Thermal fatigue, p. 1668
Thermal stresses, pp. 1445, 1588
Thermodynamics, p. 1392
Thermoelasticity, pp. 453, 809
Thermoplastic, pp. 887, 1143, 1204, 1632
Thermoplastic composites, pp. 334, 375, 1127, 1277
Thermosets, p. 1542
Thick composite laminate, pp. 1244, 1330
Thick-section thermoset composite, p. 239
3-D braided composites, pp. 715, 1599
Three-point bend, p. 593, 1108
Three point flexure, p. 958
Titanium matrix, p. 1668
Transverse matrix cracking, p. 1499
Transverse ply cracking, pp. 1445, 1653
Transverse tensile strength, p. 869
Triangular fibers, p. 669
Tubes, p. 1314
Two-dimensional analysis, p. 118
Two-step braided composites, p. 1599
Ultrasonic, pp. 1392, 1499
Unsymmetric beam, p. 1445
Viscoplastic behavior, p. 334
Viscoplasticity, p. 1277
Viscosity, p. 1204
Viscous flow of oriented fiber assembly, p. 1379
Water uptake, p. 760
Wood flour, p. 375
Woven material, p. 593
Woven reinforcement, p. 512

AUTHOR INDEX

Achenbach, J. D., p. 224
Adams, D. F., p. 774
Amateau, M. F., p. 416
Anderson, D. L., p. 512
Ashbee, K. H. G., p. 760
Baird, D. G., p. 788
Bakis, C. E., p. 809
Batt, T. J., p. 1392
Beaussart, A. J., pp. 1204, 1379
Bogetti, T. A., p. 239
Byun, J-H., p. 1599
Carlsson, L. A., p. 101
Chang, F-K., pp. 2, 44, 65, 274, 334, 992, 1012
Chang, K-Y., p. 274
Chappell, D. P., p. 854
Chatterjee, S., pp. 470, 494
Chaudhuri, R. A., p. 1244
Chen, H., p. 1086
Choi, H. Y., pp. 992, 1012
Chou, T-W., p. 1599
Chu, G. D., p. 142
Ciriscioli, P. R., pp. 1330, 1542
Copp, P. D., p. 593

Davidson, B. D., p. 1351
Dendis, J. C., p. 593
Done, D. S., p. 788
Downs, R. J., p. 992
Doxsee, L. E., Jr., p. 1340
Drzal, L. T., pp. 932, 958
Du, G-W., p. 1599
Ehsani, M. R., p. 188
Ermer, P. G., p. 1668
Farley, G. L., p. 1314
Feng, W. W., p. 88
Fleck, N. A., p. 1476
Florio, J., Jr., p. 1515
Folias, E. S., p. 869
Frostig, Y., p. 634
Galiotis, C., p. 609
Gillespie, J. W., Jr., p. 239
Gong, J. C., p. 715
Gorman, M. R., pp. 703, 1499
Gungor, M. N., p. 536
Ha, S. K., p. 334
Hansen, D. M., p. 1619
Hariharan, R., p. 1515
Hasselman, P. H., p. 1588
Hearle, J. W. S., pp. 1204, 1379
Henderson, J. B., p. 1515
Herakovich, C. T., p. 732
Hiel, C. C., p. 854
Homeny, J., p. 1619
Hsieh, C. Y., p. 1171
Hu, S., p. 1414
Huang, C. T., p. 1171
Huang, H. H., p. 788
Jahankhani, H., p. 609
Jang, B. P., p. 117
Jang, B. Z., p. 1171
Kennedy, J. M., p. 1218
Knott, T. W., p. 732
Kokta, B. V., p. 375
Kowbel, W., p. 1171
Kragness, E. D., p. 416
Kumar, Prashart, p. 694
Lee, K., p. 1143
Lee, S., p. 842
Lee, S. M., p. 204
Lee, W. I., pp. 1127, 1542, 1632
Lee, Y. S., pp. 536, 1392
Lessard, L. B., pp. 2, 44, 65
Lewandowski, J. J., p. 831
Liaw, D. G., p. 1039
Liaw, P. K., pp. 536, 1392
Liu, S., p. 274
Liu, S., p. 1086
Long, R. S., p. 391
Lou, K. A., p. 162
Luo, J., p. 453
Madhukar, M. S., pp. 932, 958
Maldas, D., p. 375
Mall, S., pp. 593, 1668
Manoharan, M., p. 831
Merry, S. L., p. 101
Messing, G. L., p. 416
Mottram, J. T., p. 1108
Nairn, J. A., p. 1086
O'Brien, T. K., p. 118
Odom, E. M., p. 774
Okine, R. K., pp. 1204, 1379
Olson, M. D., p. 512
Osiroff, R., p. 1588
Pangborn, R. N., p. 887
Pantano, C. G., p. 887
Parhizgar, S., p. 578
Peck, S. O., p. 907
Penn, L. S., p. 1445
Peterson, B. L., p. 887
Pindera, M-J., p. 302
Pipes, R. B., pp. 1204, 1379
Rai, B., p. 694
Raju, I. S., p. 118
Reifsnider, K. L., p. 809
Rogers, C. A., p. 433
Saadatmanesh, H., p. 188
Salpekar, S. A., p. 118
Sankar, B. V., pp. 715, 1414
Sastry, A. M., p. 1204
Segal, A., p. 634
Sendlein, L. S., p. 101
Seo, J. W., p. 1127
Sheinman, I., p. 634
Sherby, O. D., p. 842
Smith, F. N., p. 1632
Smith, P. A., p. 1476
Soutis, C., p. 1476
Springer, G. S., pp. 907, 1330, 1340, 1542, 1632
Sumich, M., p. 854
Sun, C. T., pp. 142, 453, 1277, 1297
Sun, T., p. 788
Swanson, S. R., p. 1427
Tai, D. W. L., p. 1445

(continued)

Author Index (continued)

Tan, S. C., pp. 556, 650, 669
Test, F. L., p. 1515
Thomas, D. J., p. 1459
Tian, Z., p. 1427
Tzou, D. Y., p. 1064
Vaziri, R., p. 512
Wadsworth, J., p. 842
Wang, B-T., p. 433
Wang, Q., pp. 334, 1330
Wedgewood, A. R., p. 1086
Weitsman, Y., p. 1143
Wetherhold, R. C., p. 1459
Wetters, D. G., p. 1653
Whitney, T. J., p. 1599
Wilkes, G. L., p. 788
Williams, T. O., p. 302
Wu, H-Y. T., p. 1012
Xu, Z. R., p. 760
Yalvaç, S., p. 1653
Yang, H. T. Y., p. 1039
Yaniv, G., p. 162
Yats, L. D., p. 1653
Yeh, J. R., p. 1158
Yoon, K. J., p. 1277, 1297
Zahuta, P., p. 204
Zhu, H., p. 224